

II C DEPARTMENT	OF ACRICIU TI	105	FOR	M APPROVED: OMB NO. 0581-0055		
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE			if a p be iss held	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued		
	is on reverse)		-	S.C. 2426).		
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	1	ARIETY NAME		
Michigan State University		B83302	В	lackhawk		
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code)	5. PHONE (Include area code)		FOR OFFICIAL USE ONLY		
East Lansing, MI 48824		(517) 353-9545	PVP	9000107		
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botanical)		DATE		
Phaseolus vulgaris L.			FILING	Mar, 1, 1990		
8. KIND NAME	ا	DATE OF DETERMINATION	1	AMOUNT FOR FILING		
Black field bean		December 12, 1989	RECEIVED	\$ 2/50.00 DATE Mar, 1, 1990 AMOUNT FOR CERTIFICATE		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation partnership, association, etc.)			FEES RI	\$ 250.00 DATE		
University				Upr. 15, 1993		
11. IF INCORPORATED, GIVE STATE OF INCORP	ORATION		12.	DATE OF INCORPORATION		
Michigan State University 14. CHECK APPROPRIATE BOX FOR EACH ATTA 2. Exhibit A, Origin and Breeding History of December 2. Exhibit B, Novelty Statement. 3. Exhibit C, Objective Description of Variety C, Objective Description O, Objective Description of Variety C, Objective Description O, Objective Description O	of the Variety (See ety (Request form riety. Olicant's Ownershi	e Section 52 of the Plant Variety Position of from Plant Variety Protection Office.	rotection	on Act.)		
 DOES THE APPLICANT(S) SPECIFY THAT SEI SEED? (See Section 83(a) of the Plant Variety P. 		Yes (If "Yes," answe				
16. DOES THE APPLICANT(S) SPECIFY THAT TH LIMITED AS TO NUMBER OF GENERATIONS	IS VARIETY BE		WHICH	H CLASSES OF PRODUCTION		
X Yes No		X Foundation		Registered X Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE	E FOR PROTECT	TION OF THE VARIETY IN THE	U.S.?	Yes (If "Yes," give date,		
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALE	, OR MARKETED IN THE U.S. O	ROTH	LAI		
				of countries and dates)		
20. The applicant(s) declare(s) that a viable sam			ed with	No the application and will be re-		
plenished upon request in accordance with The undersigned applicant(s) is (are) the ow distinct, uniform, and stable as required in S Variety Protection Act.	ener(s) of this se	xually reproduced novel plant v	ariety, he pro	and believe(s) that the variety is visions of Section 42 of the Plant		
Applicant(s) is (are) informed that false rep	resentation here	in can jeopardize protection and	d resul	t in penalties.		
SIGNATURE OF APPLICANT Copeland				Feb 13, 1990		
SIGNATURE OF APPLICANT			100	DATE		

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF THE VARIETY BLACKHAWK

Blackhawk, formerly known and tested as MSU No. B83302, was derived from the following sequence of crosses which were concluded in 1980 and coded 80B015:

'Tuscola'/CN49-242//'Black Magic'/3/'Midnight'

The original cross between Tuscola and Cornell University breeding line 49-242 was made by Madata nee Muhalet* to study the inheritance of resistance to different races of bean anthracnose. Anthracnose is a seed-borne fungal disease incited by Colletotrichum lindemuthianum (Sacc. & Magn.) Scrib., and breeding line 49-242 carries the 'ARE' gene for resistance to six races of anthracnose, Anthracnose resistant black seeded F3 segregants were intermated with the commercial black bean cultivar Black Magic and subsequently with Midnight to improve both architectural and agronomic performance of the progeny. The final cross 80B015 was advanced to the F2 generation where a single plant selection no. 68 was made for plant habit, architecture, maturity, and seed type in field trials in 1981. The F3 progeny of selection no. 68 were screened against two races (alpha and delta) of anthracnose in the greenhouse to detect those individuals carrying the dominant resistant ARE gene. An F_3 selection no. 2 was advanced as an F_4 row in the field in 1982 and single plant selections were made for agronomic, architectural, and seed traits. These selections were increased in a winter nursery program in Puerto Rico (1982/1983) during which time the same remnant materials were screened in the greenhouse to detect progeny carrying homozygous ARE resistance and only the resistant progeny were returned to Michigan from Puerto Rico. Selection number 80B015-68-02-02 entered yield trials in Saginaw MI as an F_6 generation breeding line in 1983 and was coded with the permanent accession number B83302.

^{*}Muhalet, C.S., M.W. Adams, A.W. Saettler, and A. Ghaderi. 1981. Genetic systems for the reaction of field beans to beta, gamma and delta races of Colletotrichum lindemuthianum. J. Amer. Soc. Hort. Sci. 106(5):601-604.

FIGURE 3 ATTACHMENT TO: EXHIBIT A-ORIGIN AND BREEDING HISTORY BLACKHAWK PV APPLICATION NO. 9000107

Observations indicate Blackhawk released as an F9 generation pure line bean variety is uniform and stable within commercially acceptable limits. As is true with other black turtle bean varieties, a small percentage of offtypes or variants can occur within commercially acceptable limits for almost any characteristic during the course of repeated multiplication.

FIGURE 4 EXHIBIT B-NOVELTY STATEMENT

Blackhawk is most similar to Midnight. Blackhawk differs from Midnight in that it possesses the Are gene which conditions resistance to alpha, beta, gamma, delta race of bean anthracnose caused by *Colletotrichum lindemuthianum*. Midnight is susceptible to the alpha race.

Variety	Anthracnose Race				
	Alpha	Beta	Gamma	Delta	
Blackhawk	R	R	R	R	
Midnight	S	R	R	R	

R=Resistant; S=Susceptible

OBJECTIVE DESCRIPTION OF VARIETY Dry Edible Bean (Phaseolus vulgaris L.)

NAME OF APPLICA		l Experiment Stati	experimental name	VARIETY	
			011 003-302		FFICIAL USE ONLY
	id No. or R.F.D. No., City, S 1 Agriculture Hall				FFICIAL USE ONLY
	chigan State Unive			PVPO NO.	000107
	st Lansing, MI 48			9(000107
describe this varie	ty. Measured data should cognized color standard n	d be the mean of an appro- nay be used to determine	numbers in the boxes for the periate number of well space plant color. Designate the GOF THE TEST(S) TO EVALUATION	ed (15-20 cm) plants. color system used below	The Royal Horticultu
		[2,11,2]			
1. MARKET CLASS		2. MATURITY			
10131	CLASS CHE	The second secon	3 1 = Early (80-90 days);	2 = Medium (90-100 days); 3 = Late (>100 days
	Navy (Pea) Seafa Small White Auro				
3 = E	Black Midn	light 10	1 Days from planting to h	arvest maturity	
4 = P 5 = 0	Pinto UI-1 Great Northern UI-59	14		A TANK STATE	A TO MAKE TO A STATE OF THE PARTY OF THE PAR
6 = 5	Small Red NW-5	59	Heat units from planting temperature used:	to harvest maturity (opti-	onal). Specify base
7 = P 8 = 0	Pink Viva Cranberry UI-50				Out All
9=0	Dark Red Kidney Mont	tcalm 9	7 Days from planting to h	arvest maturity of check vi	ariety (use check
	Light Red Kidney Redk Yellow Eye Steul	doud Li			
12 = 0	Other (specify)				
-				the transfer of	
3. PLANT HABIT					
3 1 - 12 Bush	TYPE	at stom and broadha	5 1 Average heigh	tht of mature plant, in cm.	
	h-determinate, strong and ere h-determinate, weak stem an				
	ect growth habit-indetermina	te, guides (runners)	4 7 Average heigh	tht of check variety, in cm	. (use same check as abo
	or not developed ect growth habit-indetermina	ite, guides medium to		: 1 = Low (lower pods to	
	vith no ability to climb ne-indeterminate, short guid	as with no ability to alimb	2	2 = High (lower pods no 3 = Scattered (not cond	ot touching soil surface)
6 = 111b Vi	ine-indeterminate, long guide	es with ability to climb			
7 = IVa Inc	determinate climbing, pods o	distributed throughout	1 Adaptability	to machine harvest: 1 =	Adapted 2 = Not Adap
8 = IVb In	determinate climbing, pods	concentrated on the			
upper	part of the plant		2 Lodging resi	stance: 1 = Good 2 = Fa	air 3 = Poor
4. LEAFLET MORE	PHOLOGY (Use terminal lea	flet of a fully expanded trifo	iolate)		
2 1 = Smoot	h; 2 = Wrinkled	1 = Dull; 2 = Glossy	; 3 = Semiglossy; 4 = Variable		
	1 = Ovate	2 = Lanceolate	3 = Deltoid	4 = Cordate	5 = Rhomboid
1 SHAPE:					
	- BALL	The second second	THE POLICY OF THE PARTY OF THE		
	1 = Acute	2 = Acuminate	3 = Cuspidate	4 = Obtuse	
2 APEX OF LEAFLET					
	1 = Obtuse	2 = Oblique	3 = Cordate	4 = Cuneate	5 = Attenuate
BASE OF			C A	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
L LEAFLET	THE WEE			TO WE	The state of the s
	The same of the sa		CASE .	3	4

COLOR OF STANDARD: 1 = White; 2 = Cream; 3 = Pink; 4 = Blue; 5 = Purple 5 COLOR OF KEEL: 1 = White; 2 = Cream; 3 = Pink; 4 = Blue; 5 = Purple
5 COLOR OF WINGS: 1 = White; 2 = Cream; 3 = Pink; 4 = Blue; 5 = Purple 5 1 Days to 50% bloom
. POD MORPHOLOGY (Green pod morphology optional)
Green Mature
1 COLOR PATTERN: 1 = Solid: 2 = Striped: 3 = Blotched: 4 = Mottled: 5 = Other
PRIMARY 1 = Purple; 2 = Red; 3 = Green; 4 = Yellow; 5 = Tan; 6 = Brown; 7 = Other
COLOR MODIFIER: 1 = Light; 2 = Light Medium; 3 = Medium; 4 = Medium Dark; 5 = Dark
6 SECONDARY 1 = Purple; 2 = Red; 3 = Green; 4 = Yellow; 5 = Tan; 6 = Brown; 7 = Other
CROSS SECTION 1 = Flat 2 = Pear 3 = Round 4 = Figure Eight SHAPE:
POD 1 = Straight 2 = Slightly Curved
3 = Curved 4 = Recurved
3 POD BEAK 1 = Straight 2 = Curved Upward 3 = Curved Downward 4 = Variable Average beak length, in cm.
1 CONSTRICTIONS: 1 = None; 2 = Slight; 3 = Deep
Average number of seeds per pod
SEED COLOR
2 1 = Shiny; 2 = Dull; 3 = Semishiny; 4 = Variable 1 1 = Monochrome; 2 = Polychrome
1 O PRIMARY 1 = White: 2 = Yellow: 3 = Buff; 4 = Tan; COLOR: 5 = Brown: 6 = Pink; 7 = Red; 8 = Purple; 9 = Blue: 10 = Black: 11 = Other 9 = Blue: 10 = Black: 11 = Other
COLOR 1 = Solid; 2 = Splashed; 3 = Mottled; 1 PATTERN: 4 = Striped; 5 = Flecked; 6 = Dotted
HILAR RING COLOR: 1 = White; 2 = Yellow; 3 = Buff; 4 = Tan; 5 = Brown; 6 = Pink; 7 = Red; 8 = Purple; 9 = Blue; 10 = Black; 11 = Other
3. SEED SHAPE AND WEIGHT
2 SHAPE OF SEED TAKEN 1 = Round 2 = Oval 3 = Cuboid 4 = Kidney 5 = Truncate Fastigiate FROM MIDDLE OF POD: Column
2 2 Dry seed weight in g/100g seeds (adjusted to 12% moisture)

FORM LS-470-61 (9-86)

1 = ABSENT 2 = PRESENT	2 Flowers	2 Stems	1 Pods	2	Seeds	9000107
	1 Leaves	1 Petioles	2 Peduno	cles 2	Nodes	
0. KNOWN DISEAS	E REACTION	100 (100 (100 (100 (100 (100 (100 (100			***	2 - A - A - A - A - A - A - A - A - A -
Will, Scielottilla	an common mosaic	ar lear spot. Bacter	al Will Halo blight	t Fuscous blig	ht Common h	ot rot, Rhizoctonia root rot, Pyth acterial blight, Red node virus, Po pot, Bean southern mosaic virus,
REACTION: 1 =	Susceptible; 2 = Re	sistant; 3 = Tolerant	; 4 = Avoidance			
D105.05		nme (CN), scientific n			D	Pelta Epsilon Lambda Alpha Beta Gamma
2 DISEASE:	CN_AIICHT achos	;	SN_COTTECOTT	Cham Tinde	mac ; Hace(s)_	arpha Beta Gamma
2 DISEASE:	CN Bean Commo	on Mosaic Viru	SN_None		; Race(s) _A	all strains
3 DISEASE:	CN Rust		SN Uromyces a	ppendicula	tus; Race(s) M	fichigan isolates
DISEASE:	CN		SN		; Race(s)	
DISEASE:	CN		SN		; Race(s)	
DISEASE:	CN		SN		; Race(s)	
PESTS - COMM Mexican bean b	= Susceptible; 2 = Re	ds, Bean pod weevi ematode, Corn seed—— esistant; 3 = Tolerand CN), scientific name (d maggot, Spider n ; 4 = Avoidance SN), and biotype, wh	nites, Thrips, W	Veevils, Western	eaf hopper, Lesion nematode, Lye bean cutworm, Other (specify)
1 PEST: CN	Leafhopper	: sN	Empoasca Taba	ie	; Biotype	
PEST: CN.		; sn			; Biotype	
PEST: CN_		; sn			; Biotype	
2. KNOWN PHYSIO	LOGICAL STRESS F	REACTION				0.5
1 = Susceptible; 2 3 = Tolerant; 4		Heat Co	d Drough	ht 2 Air	r Pollution	
Nutrient toxicity	or deficiency (specify	nutrient)				
Other			A TAXABLE	1 - 2		
13. COMMENTS						

EXHIBIT E STATEMENT OF OWNERSHIP

Blackhawk was developed by a team of plant scientists in several departments under the Michigan Agricultural Experiment Station at Michigan State University working cooperatively with the Agricultural Research Service of the United States Department of Agriculture. The ownership rights are the property of Michigan State University.

MICHIGAN STATE LINIVERSITY

OFFICE OF RESEARCH DEVELOPMENT



109 AGRICULTURE HALL EAST LANSING, MICHIGAN 48824-1039

(517) 355-0123

OFFICE OF THE DIRECTOR

June 5, 1989

MEMORANDUM

TO:

Vice President John Cantlon

FROM:

Robert G. Gast

RE:

Release of Black Bean Variety "Blackhawk"

I am attaching a copy of a memorandum I received from Dr. Eldor Paul, along with a signed variety release recommendation form; recommending that the dry bean variety "Blackhawk" be released. Since the variety was developed jointly with USDA-ARS scientists, a copy of the signed joint release notice is also attached indicating the USDA-ARS concurrence with the recommendation to release the variety.

It is also recommended that the release be made on a exclusive royalty bearing bases.

Blackhawk is recommended for release on the basis of its outstanding performance record in Michigan State University performance trials as well as its resistance to Bean Anthracnose. None of the present black bean varieties provide anthracnose resistance, thus this disease is often introduced into the Michigan dry bean area in black bean seedlots. The release and widespread use of Blackhawk could substantially reduce the incidence of this kind of disease introduction.

The recommending to release the variety is based on the background and pedigree information outlined in Dr. Paul's memorandum. The recommendation for release on an exclusive royalty bearing basis is based largely on he assessment that this method of release would most likely assure that an adequate supply of high quality seed would be available on a continuing basis allowing a rapid and widespread use of the variety.

Copies of signed agreements with the USDA/ARS authorizing the release on an exclusive royalty bearing basis are attached for your information.

Upon approval of the release we will proceed with identifying the most appropriate licensee and development of a license agreement for your consideration. We will also be recommending that an agreement be made with the Michigan Foundation Seed Association for that organization to provide the foundation seed class of this variety.

I support the proposed release of this variety and recommend approval by Vice President Roger Wilkinson and yourself. Assuming that you concur, please return a signed copy of the memorandum for our records.

Vice President for Research and Graduate Studies

Vice President for Business and Finance

AND

MICHIGAN AGRICULTURAL EXPERIMENT STATION
MICHIGAN STATE UNIVERSITY
E. LANSING, MICHIGAN

NOTICE OF NAMING AND RELEASE OF 'BLACKHAWK', A NEW TROPICAL BLACK BEAN FOR MICHIGAN AND THE GREAT LAKES REGION.

The United States Department of Agriculture, Agricultural Research Service and the Michigan Agricultural Experiment Station announce the joint release of BLACKHAWK, a new, erect, short vine type black bean with multiple disease resistance.

BLACKHAWK was tested as MSU No. B83302, and was derived from the following sequences of crosses: Tuscola/Cornell 49242/Black Magic/3/Midnight. Cornell 49242 is a black breeding line from Cornell University which carries the 'ARE' gene for resistance to six races of anthracnose. Anthracnose-resistant black seeded segregants resulting from the first cross were intermated with the commercial black bean cultivar Black Magic, and subsequently with Midnight to improve both architectural and agronomic performance. Selection number 80B015-68-02-02 entered yield trials in Saginaw, Michigan as an F₆ generation breeding line in 1983 and was coded with the permanent access number B83302.

BLACKHAWK was developed by the bean cultivar team at East Lansing, Michigan consisting of Dr. A.W. Saettler and Dr. G.L. Hosfield, of the Agricultural Research Service, U.S. Department of Agriculture, and Dr. M.W. Adams, (Emeritus), Dr. A. Ghaderi (retired), and Dr. J.D. Kelly of Michigan State University, Department of Crop and Soil Sciences.

BLACKHAWK has been tested for 6 years across 16 locations in Michigan and yielded an average of 22 cwt/acre. The new cultivar possesses an erect, type II plant habit with a short vine. It is similar in height, but exhibits more lodging resistance than present commerical cultivars. BLACKHAWK matures two days later than Domino and Black Magic and reaches harvest maturity 100 days after planting. BLACKHAWK produces a slightly larger seed than other commerical varieties, with a 100 seed weight of 23 grams. The processed seed color measured on the Hunter lightness or L-scale has a value of 15.2, which is equivalent to that of commercial black beans, indicating good color retention. Texture, drain weight and hydration ratios of BLACKHAWK are very similar to present commercial types when grown over the same seasons and locations.

BLACKHAWK carries the dominant I gene form of hypersensitive resistance to all strains of bean common mosaic virus. The new cultivar is highly resistant to all races of rust in Michigan, and also carries the ARE gene that confers resistance to the alpha, beta, gamma, delta, lambda, and epsilon races of anthracnose. Thus, BLACKHAWK is recognized as the first completely anthracnose resistant black bean available in the United States.

Seed for experimental purposes may be obtained form J.D. Kelly, Dept. of Crop and Soil Sciences, Michigan State University, East Lansing, MI 48824-1325. The Agricultural Research Service has no seed for distribution.

BLACKHAWK is being released on a joint exclusive release basis by the Agricultural Research Service and Michigan Agricultural Experiment Station.

Director

Michigan Agricultural Experiment Station

JAN 3 1 1989

Jan 20, 1989

Date

Administrator

9